

Exhibit 1

Table 2

**INDIVIDUAL TISSUE CONCENTRATIONS (μ g AZITHROMYCIN/g TISSUE¹)
IN THE EYE OF RABBITS FOLLOWING THE INSTILLATION OF A SINGLE DOSE
OF AZITHROMYCIN OPHTHALMIC OINTMENT OR PLACEBO**

| 2 HOURS POST DOSE EYE TISSUE | RABBIT 31447 | | RABBIT 31456 | | RABBIT 01162 | |
|----------------------------------|-------------------|--------------------|--------------|-------|--------------|-------|
| | left ² | right ³ | left | right | left | right |
| tears | 1.47 | <0.01 | 1.51 | 0.05 | 0.84 | <0.01 |
| nictitating membrane | 4.93 | 0.03 | 7.24 | 0.03 | 3.12 | 0.02 |
| bulbar conjunctiva | 1.71 | 0.03 | 2.45 | 0.06 | 4.46 | 0.16 |
| aqueous humor | 0.08 | <0.01 | 0.13 | <0.01 | 0.13 | <0.01 |
| cornea | 24.0 | 0.10 | 30.8 | 0.05 | # | 0.02 |
| lens | 0.01 | <0.01 | 0.01 | <0.01 | 0.04 | <0.01 |
| vitreous humor | <0.01 | <0.01 | 0.06 | <0.01 | 0.02 | <0.01 |
| iris/ciliary body | # | 0.02 | 0.52 | 0.09 | 0.52 | 0.23 |
| retina/choroid | 0.08 | 0.02 | 0.63 | 0.03 | 0.20 | 0.01 |
| sclera | 0.58 | 0.01 | 1.49 | 0.02 | 1.69 | 0.02 |
| lid/palpebral conj. | 10.7 | 0.05 | 10.5 | 0.24 | 14.3 | 0.14 |
| lacrimal gland | ## | ## | 0.04 | ## | 0.12 | ## |
| 24 HOURS POST DOSE EYE TISSUE | RABBIT 31478 | | RABBIT 01164 | | RABBIT 01177 | |
| | left ² | right ³ | left | right | left | right |
| tears | <0.01 | 0.01 | 0.26 | <0.01 | 0.31 | <0.01 |
| nictitating membrane | 0.79 | 0.04 | 1.24 | 0.04 | 1.26 | 0.03 |
| bulbar conjunctiva | 1.82 | 0.02 | 0.82 | 0.02 | 0.45 | 0.02 |
| aqueous humor | 0.08 | <0.01 | 0.04 | <0.01 | 0.03 | <0.01 |
| cornea | 47.9 | 0.18 | 31.6 | 0.06 | 7.63 | 0.01 |
| lens | 0.04 | <0.01 | 0.02 | 0.03 | 0.03 | <0.01 |
| vitreous humor | 0.02 | <0.01 | 0.01 | <0.01 | 0.02 | 0.02 |
| iris/ciliary body | 1.83 | 0.06 | 0.40 | 0.05 | 0.87 | 0.67 |
| retina/choroid | 1.15 | <0.01 | 0.34 | 0.11 | 0.75 | 0.02 |
| sclera | 1.14 | 0.01 | 0.52 | 0.01 | 0.83 | 0.02 |
| lid/palpebral conj. | 4.78 | 0.03 | 4.15 | 0.05 | 5.95 | 0.04 |
| lacrimal gland | 0.16 | 0.07 | 0.08 | 0.08 | 0.14 | ## |

¹The limit of quantitation of this assay was $\pm 0.01 \mu$ g azithromycin/g.

²The left eye was treated with 0.1 g of the 0.5% azithromycin ointment.

³The right eye was treated with 0.1 g of the placebo ointment. # Tissue lost in processing. ## Tissue not collected.